



LED PANEL LIGHT





Features & Benefits:

- Ideal Energy Efficient Replacement For Fluorescent Fixtures
- 160,000 Hour LED Lifespan
- Designed for Drop-in Ceilings
- Energy Savings of 60%+
- 0%~100% Dimmable
- UL & DLC Approved
- Mercury& UV Free, RoHS Compliant
- Title 24 Compliant
- 5 Year Warranty

Applications:

- Offices
- Malls
- Classrooms
- Hotel
- Lobbies
- Back of house
- Restaurants
- Bus Stations
- Train Stations
- Medical Facility



Due to advancements in technology, specifications are subject to change without notice.

All images are copyright Truly Green Solutions, Inc. and may be only be used with permission.

WARNING: READ INSTRUCTIONS BEFORE INSTALLING

Disconnect all power sources to the fixtures before installing.



LED PANEL LIGHT



1X4 40W




2x2 40W



2x4 50W

Product Model	8813	8822	8844
Comparable To FL	70W	70W	134W
Technical Parameters	40W	40W	50W
Input Voltage	AC 120~277V	AC 120~277V	AC 120~277V
Power Frequency	50~60Hz	50~60Hz	50~60Hz
Total Power Consumption	40W	40W	50W
LED Power Consumption	40W	40W	50W
LED Chip	SMD	SMD	SMD
Power Factor	>0.90	>0.90	>0.90
Luminous Flux(IES)	3480 lm	3700 lm	4600 lm
CRI	>80	>80	>80
Colour Temperature	3000K / 4000K / 5000K	3000K / 4000K / 5000K	3000 / 4000K / 5000K
Beam Angle	120°	120°	120°
IP Rating	N/A	N/A	N/A
Operating Temperature	N/A	N/A	N/A
Lumen Maintenance	50,000Hrs	50,000Hrs	50,000Hrs
Light Fixture Material	Aluminum Base & PC Cover	Aluminum Base & PC Cover	Aluminum Base & PC Cover
Dimensions(LxWxH)	297.18x1197x11.93mm	602x602x13mm	602x1212x13mm
Dimmable	Yes	Yes	Yes



Due to advancements in technology, specifications are subject to change without notice.

All images are copyright Truly Green Solutions, Inc. and may be only be used with permission.

WARNING: READ INSTRUCTIONS BEFORE INSTALLING

Disconnect all power sources to the fixtures before installing.



Cost Effective

The best choice in reducing the effects of surging power costs across over world.
Saves up to 50% of power compared to Fluorescent.

Power Consumption	Lumens	Comparable to Fluorescent	Energy Saving
40W	3450 lm	70W	43%
40W	3700 lm	70W	43%
50W	4600 lm	134W	63%

LED Panel Light Replaces Fluorescent

LED

Fluorescent



**LED PANEL LIGHT
40W 1x4**

**Fluorescent
70W**



**LED PANEL LIGHT
40W 2x2**

**Fluorescent
70W**



**LED PANEL LIGHT
50W 2x4**

**Fluorescent
134W**




Due to advancements in technology, specifications are subject to change without notice.

All images are copyright Truly Green Solutions, Inc. and may be only be used with permission.

WARNING READ INSTRUCTIONS BEFORE INSTALLING

Disconnect all power sources to the fixtures before installing.



Ordering Information - LED Panel Light 40W 1'x4'

881301 LED Panel Light - 1 x 4 - 40W - 5000K - Day White-DLC-Dimmable

881302 LED Panel Light - 1 x 4 - 40W - 4000K - Natural White-DLC-Dimmable

881303 LED Panel Light - 1 x 4 - 40W - 3000K - Warm White-DLC-Dimmable

Ordering Information - LED Panel Light 40W 2'x2'

882201 LED Panel Light - 2 x 2 - 40W - 5000K - Day White-DLC-Dimmable

882202 LED Panel Light - 2 x 2 - 40W - 4000K - Natural White-DLC-Dimmable

882203 LED Panel Light - 2 x 2 - 40W - 3000K - Warm White-DLC-Dimmable

Ordering Information - LED Panel Light 50W 2'x4'

884401 LED Flat Panel 2 x 4 - 50W - 5000K - Day White- DLC-Dimmable

884402 LED Flat Panel 2 x 4 - 50W - 4000K - Natural White-DLC-Dimmable

884403 LED Flat Panel 2 x 4 - 50W - 3000K - Warm White-DLC-Dimmable

Due to advancements in technology, specifications are subject to change without notice.

All images are copyright Truly Green Solutions, Inc. and may be only be used with permission.

WARNING: READ INSTRUCTIONS BEFORE INSTALLING

Disconnect all power sources to the fixtures before installing.