


Date:	
Project Name:	
SKU #:	

ICON S1™
Icon Series Square Downlight 1"



SBT - Square Baffled Trim



STL - Square Trimless

APPLICATIONS

Residential, Commercial, Multi-Family

FEATURES

Construction

- Aluminum Housing

Finish

- White
- Black Trim [Option]

Electrical & Technical

- Input Voltage: 120VAC
- Input Frequency: 60Hz
- Projected Life: L70 > 50,000 hrs
- PF: >0.9
- CRI: >90
- THD: <20%
- CCT Selectable: 2700K/3000K/3500K/
4000K/5000K
- Operating Temp.: -4°F ~ 104°F
- Wet Location Rated
- IC Air-Tight Rated

Optical

- White PC Lens
- Available Beam Angles:
- 24°
- 38°
- 60°

Installation/Mounting

- Spring Clip Mount [W/Trim]
- Flush to Ceiling [Trimless]

Controls

- Triac Dimming

Compliance


- JA8 TITLE 24 Compliant

Lumen Output

• 1"/7W: 500lm

Warranty



- 5 Year Warranty
See warranty documentation for more information.



ORDERING INFORMATION **EXAMPLE: ICON-S-1-7-5C-24-SBT-WH**

Series	Size	Wattage	CCT	Beam Angle	Trim Type	Trim Finish	Options
ICON-S	1 - 1"	7 - 7W	5C - 2700K/3000K/ 3500K/4000K/5000K	24 - 24° 38 - 38° 60 - 60°	SBT - Square Baffled Trim STL - Square Trimless	BK - Black WH - White	ICON-S-NC [New Construction Plate W/ Hanger Bar] ICON-S-NC-TL [New Construction Plate W/ Hanger Bar] FLEX-4 [4' Flexible Connector] FLEX-6 [6' Flexible Connector] FLEX-10 [10' Flexible Connector] FLEX-20 [20' Flexible Connector]

DIMENSIONS




LUMEN OUTPUT

SKU	Size (in)	Wattage (W)	Delivered Lumens (lm)	Efficacy (lm/W)
ICON-S-1-7-5C-38-SBT-WH	1	7	500	71


ACCESSORIES




Square Baffled Trim
[SBT]



Square Trimless
[STL]




New Construction Kit
W/ Hanger Bar
2"/3"/3.5"/4"
[ICON-S-NC]




New Construction Kit
W/ Hanger Bar
[For Trimless]
1"/3.5"/4"/5"/6"
[ICON-S-NC-TL]

COMPLETED PRODUCT



ICON S1™
Square Baffled Trim



ICON S1™
Square Trimless