


Date:	
Project Name:	
SKU #:	

ICON R1™
 ICON Series Round Downlight 1"



RBT - Round Baffled Trim



RTL - Round Trimless

APPLICATIONS

Residential, Commercial, Multi-Family

FEATURES

Construction

- Aluminum Housing

Finish

- White
 - Black Trim [Option]

Electrical & Technical

- Input Voltage: 120VAC
 - Input Frequency: 60Hz
 - Projected Life: L70 > 50,000 hrs
 - PF: >0.9
 - CRI: >90
 - THD: <20%
 - CCT Selectable: 2700K/3000K/3500K/
 4000K/5000K
 - Operating Temp.: -4°F ~ 104°F
 - Wet Location Rated
 - IC Air-Tight Rated

Optical

- White PC Lens
 - Available Beam Angles:
 - 24°
 - 38°
 - 60°

Installation/Mounting

- Spring Clip Mount [W/Trim]
 - Flush to Ceiling [Trimless]

Controls

- Triac Dimming

Compliance


- JA8 TITLE 24 Compliant

Lumen Output

• 1"/7W: 500lm

Warranty



- 5 Year Warranty
 See warranty documentation for more information.



ORDERING INFORMATION **EXAMPLE: ICON-R-1-7-5C-24-RBT-WH**

Series	Size	Wattage	CCT	Beam Angle	Trim Type	Trim Finish	Options
ICON-R	1 - 1"	7 - 7W	5C - 2700K/3000K/ 3500K/4000K/5000K	24 - 24° 38 - 38° 60 - 60°	RBT - Round Baffled Trim RTL - Round Trimless	BK - Black WH - White	ICON-R-NC [New Construction Plate W/ Hanger Bar] FLEX-4 [4' Flexible Connector] FLEX-6 [6' Flexible Connector] FLEX-10 [10' Flexible Connector] FLEX-20 [20' Flexible Connector]


DIMENSIONS



LUMEN OUTPUT

SKU	Size (in)	Wattage (W)	Delivered Lumens (lm)	Efficacy (lm/W)
ICON-R-1-7-5C-38-RBT-WH	1	7	500	71


ACCESSORIES



Round Baffled Trim [RBT]



Round Trimless [RTL]



New Construction Kit
 W/ Hanger Bar
 2 1/3"/3.5"/4"
 [ICON-R-NC]

COMPLETED PRODUCT



ICON R1™
 Round Baffled Trim



ICON R1™
 Round Trimless