

Accessories

#	Description	Quantity	Remarks
1	WP-CEP-12U-200VPE1	1	
2	CM-221-2P Terminals 2P	8	
3	CM-221-3P Terminals 3P	2	
4	User Manual Book	1	

Packaging

- Net Weight: 1165g
- Quantity/Carton: 6pcs/6 ↑
- Carton Size: L*W*H=15.34*2.25*1.16 Inch
- Carton New Weight/ Gross Weight: 7KG/ 8KG



Cautions:

- If the product packaging is damaged, please confirm whether the product appearance is complete. Any cracks on the external structure of the product is not allowed.
- When the dimming wires not in use, it is recommended to seal with an insulating sleeve to avoid damage to the dimming circuit due to interference signals and affect the normal operation of the driver.
- Because it is connected to AC input terminal of the driver, and the input surge current of each driver is different, so it can't be guaranteed to compatible with all the drivers on the market. Please test its compatibility before use, or consult with our engineers.

Transportation

- It is suitable for transportation by car, boat and airplane, During transportation, it should be sheltered, sun-proof, and civilized loading and unloading.

Storage

- Product storage should comply with GB 3873-83.
- During long period storage, it is recommended to charge the battery every six months to avoid damage caused by power leakage.

RoHS

Products comply to the European Standard 2011//65/EC